

Koi CBD Strawberry Milkshake Vape Juice 250 mg

Sample ID: 2109CSALA6981.7915

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size: 1 units

Batch#: 2095BB0923

Produced: N/A

Collected: 09/13/2021

Received: 09/13/2021

Completed: 09/15/2021

Client
Koi CBD
Lic. #

14631 Best Ave

Norwalk, CA 90650



Summary

Pass

267.0553 mg/package Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals
NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	Pass Foreign Matter Visual Inspection SOP-600 Date Tested: 09/14/2021

Cannabinoids

Pass
Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/package	mg/ml
CBD	0.0163	0.0233	267.0553	8.9018
CBC	0.0198	0.0233	ND	ND
CBCA *	0.0207	0.0233	ND	ND
CBDa	0.0123	0.0233	ND	ND
CBDV	0.0191	0.0233	ND	ND
CBDVA *	0.0221	0.0233	ND	ND
CBG	0.0214	0.0233	ND	ND
CBGa	0.0175	0.0233	ND	ND
CBN	0.0228	0.0233	ND	ND
CBT *	0.0196	0.0909	ND	ND
THCa	0.0172	0.0233	ND	ND
THCV	0.0226	0.0233	ND	ND
THCVA *	0.0226	0.0233	ND	ND
Δ8-THC	0.0205	0.0233	ND	ND
Δ9-THC	0.0193	0.0233	ND	ND

ND Total THC	267.0553 mg/package Total CBD
------------------------	---

Package = 1 Dropper, 30.0 milliliters; Density = 1.1286 g/ml; 0.0 mg/package

Total THC; 267.0553 mg/package Total CBD;

Date Tested: 09/15/2021

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

* Denotes analytes pending ISO-17025 scope addition


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neya Jourabchian
 Laboratory Director
 09/15/2021



 Brandon Hill
 COA Review
 09/15/2021

Koi CBD Strawberry Milkshake Vape Juice 250 mg

Sample ID: 2109CSALA6981.7915

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size: 1 units

Batch#: 2095BB0923

Produced: N/A

Collected: 09/13/2021

Received: 09/13/2021

Completed: 09/15/2021

Client

Koi CBD

Lic. #

14631 Best Ave

Norwalk, CA 90650

Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0667	0.0863	0.1	ND	Pass	Fludioxonil	0.049	0.0765	0.1	ND	Pass
Acephate	0.0343	0.0765	0.1	ND	Pass	Hexythiazox	0.0397	0.0765	0.1	ND	Pass
Acequinocyl	0.0324	0.0765	0.1	ND	Pass	Imazalil *	0.0466	0.0765	0.0466	ND	Pass
Acetamiprid	0.0333	0.0765	0.1	ND	Pass	Imidacloprid	0.0328	0.0765	5	ND	Pass
Aldicarb *	0.0319	0.0765	0.0319	ND	Pass	Kresoxim Methyl	0.0324	0.0765	0.1	ND	Pass
Azoxystrobin	0.0328	0.0765	0.1	ND	Pass	Malathion	0.0485	0.0765	0.5	ND	Pass
Bifenazate	0.0676	0.0765	0.1	ND	Pass	Metalaxyl	0.0348	0.0765	2	ND	Pass
Bifenthrin	0.0652	0.0765	3	ND	Pass	Methiocarb *	0.0495	0.0765	0.0495	ND	Pass
Boscalid	0.0446	0.0765	0.1	ND	Pass	Methomyl	0.0387	0.0765	1	ND	Pass
Captan	0.3137	0.6127	0.7	ND	Pass	Methyl Parathion *	0.0392	0.0784	0.0392	ND	Pass
Carbaryl	0.0392	0.0765	0.5	ND	Pass	Mevinphos *	0.0333	0.0765	0.0333	ND	Pass
Carbofuran *	0.0333	0.0765	0.0333	ND	Pass	Myclobutanil	0.0603	0.0765	0.1	ND	Pass
Chlorantranilprole	0.0324	0.0765	10	ND	Pass	Naled	0.0505	0.0765	0.1	ND	Pass
Chlordane *	0.0245	0.0784	0.0245	ND	Pass	Oxamyl	0.0319	0.0765	0.5	ND	Pass
Chlorfenapyr *	0.0196	0.0784	0.0196	ND	Pass	Paclobutrazol *	0.0608	0.0765	0.0608	ND	Pass
Chlorpyrifos *	0.0324	0.0765	0.0324	ND	Pass	Pentachloronitrobenzene	0.0343	0.0784	0.1	ND	Pass
Clofentezine	0.0456	0.0765	0.1	ND	Pass	Permethrin	0.049	0.0765	0.5	ND	Pass
Coumaphos *	0.0402	0.0765	0.0402	ND	Pass	Phosmet	0.0328	0.0765	0.1	ND	Pass
Cyfluthrin	0.1451	0.1534	2	ND	Pass	Piperonyl Butoxide	0.0382	0.0765	3	ND	Pass
Cypermethrin	0.0775	0.1534	1	ND	Pass	Prallethrin	0.0397	0.0765	0.1	ND	Pass
Daminozide *	0.0426	0.0765	0.0426	ND	Pass	Propiconazole	0.0397	0.0765	0.1	ND	Pass
DDVP *	0.0368	0.0765	0.0368	ND	Pass	Propoxur *	0.0407	0.0765	0.0407	ND	Pass
Diazinon	0.0299	0.0765	0.1	ND	Pass	Pyrethrins	0.1848	0.2167	0.5	ND	Pass
Dimethoate *	0.027	0.0765	0.027	ND	Pass	Pyridaben	0.0279	0.0574	0.1	ND	Pass
Dimethomorph	0.0324	0.0765	2	ND	Pass	Spinetoram	0.0412	0.0765	0.1	ND	Pass
Ethoprophos *	0.0289	0.0765	0.0289	ND	Pass	Spinosad	0.0377	0.0765	0.1	ND	Pass
Etofenprox *	0.0373	0.0765	0.0373	ND	Pass	Spiromesifen	0.0373	0.0765	0.1	ND	Pass
Etoxazole	0.0333	0.0765	0.1	ND	Pass	Spirotetramat	0.0299	0.0765	0.1	ND	Pass
Fenhexamid	0.0701	0.0765	0.1	ND	Pass	Spiroxamine *	0.0304	0.0765	0.0304	ND	Pass
Fenoxycarb *	0.0275	0.0765	0.0275	ND	Pass	Tebuconazole	0.0333	0.0765	0.1	ND	Pass
Fenpyroximate	0.025	0.0765	0.1	ND	Pass	Thiacloprid *	0.0324	0.0765	0.0324	ND	Pass
Fipronil *	0.0559	0.0765	0.0559	ND	Pass	Thiamethoxam	0.0382	0.0765	5	ND	Pass
Flonicamid	0.0422	0.0765	0.1	ND	Pass	Trifloxystrobin	0.0387	0.0765	0.1	ND	Pass

Date Tested: 09/14/2021

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neyajourabchian
 Laboratory Director
 09/15/2021



 Brandon Hill
 COA Review
 09/15/2021

Koi CBD Strawberry Milkshake Vape Juice 250 mg

Sample ID: 2109CSALA6981.7915

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size: 1 units

Batch#: 2095BB0923

Produced: N/A

Collected: 09/13/2021

Received: 09/13/2021

Completed: 09/15/2021

Client

Koi CBD

Lic. #

14631 Best Ave

Norwalk, CA 90650

Microbials

Pass

Testing method: PCR-SOP 401

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 09/15/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.9608	3.9216		ND	Tested
Aflatoxin B2	2.9412	3.9216		ND	Tested
Aflatoxin G1	2.451	3.9216		ND	Tested
Aflatoxin G2	2.9412	3.9216		ND	Tested
Total Aflatoxins	10.2941	15.6863	20	ND	Pass
Ochratoxin A	6.3725	15.1961	20	ND	Pass

Date Tested: 09/14/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0049	0.049	0.2	<LOQ	Pass
Cadmium	0.0029	0.049	0.2	<LOQ	Pass
Lead	0.0098	0.049	0.5	<LOQ	Pass
Mercury	0.002	0.049	0.1	<LOQ	Pass

Date Tested: 09/14/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neyajourabchian
 Laboratory Director
 09/15/2021



 Brandon Hill
 COA Review
 09/15/2021

Koi CBD Strawberry Milkshake Vape Juice 250 mg

Sample ID: 2109CSALA6981.7915

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size: 1 units

Batch#: 2095BB0923

Produced: N/A

Collected: 09/13/2021

Received: 09/13/2021

Completed: 09/15/2021

Client

Koi CBD

Lic. #

14631 Best Ave

Norwalk, CA 90650

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.0767	0.9586	1	ND	Pass
Acetone	8.819	47.9294	5000	ND	Pass
Acetonitrile	16.7561	55.9433	410	ND	Pass
Benzene	0.0767	0.9586	1	ND	Pass
Butane	33.8574	112.9218	5000	ND	Pass
Chloroform	0.1917	0.9586	1	ND	Pass
Ethanol	14.3405	47.9294	5000	2529.7	Pass
Ethyl acetate	12.2699	47.9294	5000	531.3	Pass
Ethylene Oxide	0.2684	0.9586	1	ND	Pass
Ethyl ether	15.3374	51.1503	5000	ND	Pass
Heptane	40.3758	134.6626	5000	ND	Pass
Isopropyl alcohol	18.9801	63.3052	5000	ND	Pass
Methanol	142.8298	476.4187	3000	ND	Pass
Methylene chloride	0.115	0.9586	1	ND	Pass
Hexane	32.592	108.6656	290	ND	Pass
Pentane	26.9172	89.8006	5000	ND	Pass
Propane	40.6825	135.6979	5000	ND	Pass
Toluene	23.0061	76.7255	890	ND	Pass
Trichloroethylene	0.0767	0.9586	1	ND	Pass
Total xylenes	62.8067	209.4325	2170	ND	Pass

Date Tested: 09/14/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neyajourabchian
 Laboratory Director
 09/15/2021



 Brandon Hill
 COA Review
 09/15/2021